

APPLICATION FOR THE HIRE OF A METERED STANDPIPE FOR USE WITHIN THE HAFREN DYFRDWY WATER AREA



Please complete all sections below. If you have any queries please contact Aquam Water Services on **03300 585038** or E-mail us on **hafrendyfrdwy@aquamcorp.co.uk**
Purchase Orders & Payments should be made payable to Aquam Water Services,
 The use of Non compliant Standpipes on the Hafren Dyfrdwy Water Network, is an offence contrary to section 174 (3) of the Water Industry Act 1991. On completion of the application form please:
 E-mail to: hafrendyfrdwy@aquamcorp.co.uk
 Post to: Unit 1, St Michaels Ind Est, St Michaels Close, Widnes, WA8 8TL

Please confirm, are you (please tick):
 New Account Applicant Please ensure you have returned your Credit Account Application
 Existing Account Holder My Account Number is _____
 Cash Customer Please note as a Cash Hire Customer a £200.00 Deposit will be required in advance of your Standpipe Hire Date. This Deposit will be taken via our WorldPay System, therefore an email address will be required in the section below.

1. APPLICANT

Company Name.....	Contact Name.....
Address.....	Telephone
.....	Mobile
.....	Email Address:
.....Post Code:.....	Email Address for Calm Network Training
Purchase Ledger / Accounts Contact

2. INFORMATION

Purpose for which water is required	Site Contact Name.....
.....	Contact No:.....
Site Address.....	Contact Email:.....
.....	Purchase Order Number
.....Post Code.....	Date Required.....Date of Return.....

Please Deliver to the Site Address We wish to collect from your Widnes Depot (WA8 8TL)

Transportation will be charged on an individual basis dependent upon location within Hafren Dyfrdwy region.

3. EQUIPMENT *Standpipe Hire Rates (All prices below exclude VAT)*

<input type="checkbox"/> 22mm Rental Cost £31.85 per week	<input type="checkbox"/> 40mm Rental Cost £53.95 per week
<input type="checkbox"/> 22mm Annual Pre-payment Rate £780.00 (£15.00 per week)	<input type="checkbox"/> 40mm Annual Pre-payment Rate £980.00 (£18.85 per week)

Water Usage Charge - £1.46 per cubic meter (1,000 litres)

We require the following	We require the following Additional Equipment
Tap <input type="checkbox"/> Claw <input type="checkbox"/> 2" Adapter <input type="checkbox"/> (22mm Standpipe only)	<input type="checkbox"/> Hose Meters (Hire or Sale Item)
	<input type="checkbox"/> Sterilisation Fluid Spray Bottle plus 10 Tablets (£6.40 + VAT)

Meter Readings must be supplied on a monthly basis – Customer Contact for readings:
 Name: Telephone / Email.....

4. AGREEMENT

I hereby make application to use a metered standpipe in the Hafren Dyfrdwy Water Region for the purpose as indicated above and I have read and accept the Terms & Conditions of use. I can only use a standpipe provided by Water Services for the purpose indicated above and attach it to a Wash Out hydrant (WO). I undertake to report any damages or loss immediately and return the standpipe on the above return date.

Signature Print Name

Terms and Conditions for the Use of Standpipes

- 1 Under no circumstances shall a Metered Standpipe be used on any hydrant marked as a 'fire hydrant' (FH) only those marked as a Washout (WO) should be used to abstract water
- 2 The Metered Standpipe will be no larger than 1.5" (40mm) in diameter. The size of Standpipe will be agreed at point of Licence Application.
- 3 Standpipes used to take water from wash out (WO) hydrants must be to Hafren Dyfrdwy specification and can only be provided by Water Services (Aquam). Any Standpipe in use that has not been obtained from Water Services and is therefore not an approved Standpipe, will be deemed as use without consent and further action will be taken as referred to in paragraph 16 (iii) below.
- 4 Any party found to have been tampering with the Metered Standpipe in any way, will be subject to further action including the immediate withdrawal of the licence without a refund of the fee.
- 5 Each registered Standpipe will be fitted with a backflow prevention device in the form of a BS6282 double check valve.
- 6 Standpipes and attached equipment must be kept in a clean, well-maintained condition and disinfected prior to being connected to a wash out hydrant. All Standpipes and attached equipment must be properly maintained in order to minimise the risk of contamination, backflow and water leakage. Damaged and worn equipment must not be used. You may be required to show Hafren Dyfrdwy your schemes of ensuring Standpipes are disinfected prior to use.
- 7 Water taken from a wash out hydrant must not be used for drinking or food preparation and should not be allowed to run to waste.
- 8 The user shall be responsible for the cost of repair of any damage caused to the wash out hydrant or associated apparatus while connecting, using or disconnecting the Standpipe.
- 9 The user shall comply with requirements of the New Roads and Street Works Act 1991 and any requirements of the highway authority when using a Standpipe on a wash out hydrant in a street.
- 10 Hafren Dyfrdwy will not accept liability in respect of any loss or damage caused to the property of any person or persons wherever situated by reason of the use or operation of the wash out hydrant or Standpipe, or in respect of any injury suffered by any person or persons by reason of the use or operation of the wash out hydrant, Standpipe. The user, by signing the "Application for a Metered Standpipe" form, agrees to indemnify Hafren Dyfrdwy against all actions, claims, damages, or demands which may result in respect of any such loss, damage, or injury.
- 11 Hafren Dyfrdwy and any Fire Authority retain the right to remove any Standpipe or asset from the water network at any time and for any purpose. Hafren Dyfrdwy will not be liable for compensation claims in relation to a loss of use of supply following the removal of the apparatus.
- 12 Where a Standpipe(s) is being used on the same site for more than one month, the customer is required to apply for a temporary or permanent metered supply for that site.
- 13 Any breach of these terms and conditions may result in action being taken against the Agreement holder irrespective of who was operating the Standpipe at the time of the breach. It is the Agreement holder's responsibility to ensure that the terms and conditions are complied with at all times. Metered Standpipes can not be sub let to other companies or contractors. If a metered Standpipe is found to have been sub let to a third party, action will be taken, where necessary, against the Agreement holder only who has agreed and accepted these terms and conditions.
- 14 You will be required to take meter readings on a monthly basis and telephone the reading to Water Services on 03300 585 038. Action may be taken where a party fails to comply with their obligation to do so.
- 15 Metered Standpipes contain a line strainer (filter) which must be maintained and kept clean. The hirer and operator of the Standpipe will be liable for any costs incurred to Water Services as a result of damage to the metered Standpipe or hydrant
- 16 Hafren Dyfrdwy reserves the right to:
 - (i) Instruct the user not to use any specific wash out hydrant;
 - (ii) Terminate any consent or agreement should the user be in breach of any of these terms and conditions;
 - (iii) Instigate prosecution proceedings pursuant to Section 174(3) of the Water Industry Act 1991 in respect of water taken in contravention of these terms and conditions, the Water Regulations or any drought orders that may be imposed. Hafren Dyfrdwy reserves their rights in full to take any such action; and
 - (iv) Audit company vehicles using Hafren Dyfrdwy wash out hydrants to ensure all terms and conditions are met.

Operating Hydrants

When attaching a Standpipe

- Clean out the hydrant pit of any debris
- Disinfect Standpipe and Hydrant with approved chlorine based spray solution
- Do not apply any bending or sideways load to the Standpipe
- Operate the spindle at arms length
- Always open and close the hydrant in a slow and controlled manner
- Flush the hydrant to clear the connection point
- Do not cross thread the outlet
- Visually inspect the Standpipe to confirm it is fitted correctly
- Do not stand directly over the hydrant
- If any hydrant fails in operation, please report to Water Services immediately